

उत्तराखण्ड वन विकास निगम, रामनगर विक्रय प्रभाग
 uhyke LFky&vkeM. Mk i fke
 foØ; I ph %i xk"B vkfn%

foØ; I ph i zi =&i k: lk&MAS-1
 प्रकाष्ठ विक्रय डिपो चूनाखान
 uhyke fnukad-15-06-2023
 %lykV& -----

Øe	ykV	mRi knu	pVvk	itzkfr	Js kh	uir	uir	ux	vk; ru
1 0	1 0@o"K	o"K	1 0			yEckbz %ehØ; ?kj h@x-			
						I Ø' ku%I %ehØ%			
1	2	3	4	5	6	7	8	9	10
1	376/22-23	22-23	705	I kxk&u y0	i fke	2.45	91-120	4	0.6754
							; ksx	4	0.6754
2	373/22-23	22-23	702	I kxk&u y0	r'rh;	0.95	61-90	2	0.0479
						0.95	121-150	1	0.0973
						1.25	61-90	2	0.0871
						1.25	91-120	1	0.1015
						1.25	>151	1	0.1877
						1.55	31-60	2	0.0641
						1.55	61-90	13	0.6733
						1.55	91-120	4	0.3657
						1.85	31-60	2	0.0715
						1.85	61-90	18	1.2057
						1.85	91-120	4	0.5051
						2.15	31-60	9	0.3940
						2.15	61-90	62	4.6509
						2.15	91-120	18	2.3533
						2.45	31-60	2	0.0846
						2.45	61-90	6	0.6146
						2.45	91-120	3	0.4178
							; ksx	150	11.9221
3	91/22-23	22-23	115	I kxk&u y0	r'rh;	1.85	31-60	4	0.1441
						1.85	61-90	4	0.2306
						2.15	31-60	20	0.7287
						2.15	61-90	147	11.5278
							; ksx	175	12.6312
4	683/22-23	22-23	722	I kxk&u y0	r'rh;	2.15	31-60	1	0.0484
						2.15	61-90	43	3.5787
						2.15	91-120	21	2.9455
						2.15	121-150	4	0.8449
							; ksx	69	7.4175

5	685/22-23	22-23	725	l kxkfu y0	rnh;	1.55	91-120	2	0.2453
						1.55	91-120	1	0.1637
							; kx	3	0.4090
6	788/22-23	22-23	751	l kxkfu y0	rnh;	2.45	61-90	51	4.8429
						2.45	91-120	25	4.0447
						2.45	121-150	5	1.3229
							; kx	81	10.2105
7	790/22-23	22-23	758	l kxkfu y0	rnh;	2.45	61-90	26	2.4506
						2.45	91-120	25	4.1192
						2.45	121-150	9	2.3232
							; kx	60	8.8930
8	791/22-23	22-23	761	l kxkfu y0	rnh;	2.45	61-90	38	3.4951
						2.45	91-120	26	4.1331
						2.45	121-150	5	1.2801
							; kx	69	8.9083
9	794/22-23	22-23	775	l kxkfu y0	rnh;	2.45	61-90	23	2.2596
						2.45	91-120	26	4.4651
						2.45	121-150	7	1.8973
						2.45	151-UP	1	0.3679
							; kx	57	8.9899
10	795/22-23	22-23	776	l kxkfu y0	rnh;	2.45	61-90	17	1.6036
						2.45	91-120	24	4.1214
						2.45	121-150	8	2.0574
							; kx	49	7.7824
11	807/22-23	22-23	762	l kxkfu y0	prfkz	1.25	31-60	6	0.0782
						1.55	31-60	3	0.0532
						1.55	61-90	3	0.1789
						1.85	31-60	20	0.4059
						1.85	61-90	7	0.4808
						2.15	31-60	25	0.7892
						2.15	61-90	7	0.4807
						2.15	91-120	1	0.1137
						2.45	31-60	44	1.8729
						2.45	61-90	33	2.4971
						2.45	91-120	8	1.2726
						2.45	121-150	3	0.9237
							; kx	160	9.1469

12	241/20-21	20-21	601	l kxkŭ y0	prfkz	0.95	31-60	2	0.0190
						1.25	31-60	4	0.0519
						1.55	31-60	17	0.2687
						1.85	31-60	3	0.0380
						2.15	31-60	572	11.4053
						2.15	61-90	4	0.2271
							; ksx	602	12.0100
13	242/20-21	20-21	602	l kxkŭ y0	prfkz	0.95	31-60	3	0.0449
						1.25	31-60	2	0.0257
						1.85	31-60	5	0.0925
						2.15	31-60	516	10.6042
						2.15	61-90	4	0.2245
							; ksx	530	10.9918
14	240/21-22	20-21	320	l kxkŭ y0	prfkz	0.95	31-60	3	0.0195
						1.25	31-60	19	0.2081
						1.55	31-60	20	0.2519
						1.85	31-60	18	0.3245
						2.15	31-60	217	4.6851
							; ksx	277	5.4891
15	241/21-22	20-21	321	l kxkŭ y0	prfkz	0.95	31-60	13	0.0977
						1.25	31-60	32	0.3415
						1.55	31-60	20	0.2781
						1.85	31-60	17	0.2700
						2.15	31-60	208	4.9098
							; ksx	290	5.8971
16	446/21-22	20-21	666	l kxkŭ y0	prfkz	0.95	31-60	10	0.0969
						1.25	31-60	13	0.157
						1.55	31-60	50	0.7106
						1.85	31-60	30	0.5548
						2.15	31-60	147	2.9324
							; ksx	250	4.4517
17	219/22-23	22-23	230	l kxkŭ y0	prfkz	0.95	31-60	5	0.0603
						1.25	31-60	6	0.0864
						1.55	31-60	36	0.5737
						1.55	61-90	1	0.0716
						1.85	31-60	7	0.1251
						1.85	61-90	1	0.0444
						2.15	31-60	97	2.5548
						2.15	61-90	17	1.1578
							; ksx	170	4.6741

18	589/21-22	21-22	759	l kxk&u y0	prfkl	1.25	31-60	1	0.0281
						1.55	31-60	4	0.0573
						1.85	31-60	4	0.0564
						2.15	31-60	254	6.0535
						2.15	61-90	9	0.4804
							; kx	272	6.6757
19	381/22-23	22-23	710	l ky y0	i fke	2.15	>151	1	0.3793
							; kx	1	0.3793
20	378/22-23	22-23	707	l ky y0	f}rh;	2.15	91-120	2	0.3870
						2.15	121-150	6	1.4571
						2.15	>151	1	0.3355
						2.45	121-150	5	1.4287
							; kx	14	3.6083
21	379/22-23	22-23	708	l ky y0	r}rh;	0.95	31-60	1	0.0143
						1.25	31-60	2	0.0421
						1.25	61-90	3	0.1645
						1.55	31-60	1	0.0326
						1.55	61-90	1	0.0620
						1.55	91-120	1	0.0820
						1.55	121-150	1	0.1442
						1.85	91-120	2	0.2639
						2.15	31-60	1	0.0336
						2.15	61-90	5	0.4674
						2.15	91-120	9	1.3352
						2.15	121-150	1	0.3023
						2.15	>151	2	0.8141
						2.45	91-120	1	0.2205
							; kx	31	3.9787
22	380/22-23	22-23	709	l ky y0	prfkl	0.95	31-60	3	0.0400
						0.95	61-90	2	0.0828
						0.95	91-120	1	0.0855
						1.25	31-60	10	0.1878
						1.25	61-90	4	0.1744
						1.25	91-120	2	0.1642
						1.55	31-60	12	0.2905
						1.55	61-90	6	0.3018
						1.55	91-120	7	0.6998
						1.85	31-60	5	0.1577
						1.85	61-90	3	0.2158
						2.15	31-60	2	0.0649
						2.15	61-90	2	0.1102
							; kx	59	2.5754

23	699/22-23	22-23	732	l ky y0	prfkz	0.95	31-60	1	0.0214
						1.25	31-60	3	0.0825
						1.25	61-90	3	0.1235
						1.25	91-120	1	0.0861
						1.55	31-60	1	0.0242
						1.55	61-90	5	0.3140
						1.55	91-120	3	0.2812
						1.85	31-60	1	0.0289
						1.85	61-90	3	0.2257
						1.85	91-120	1	0.1156
						2.15	61-90	12	0.9486
						2.15	91-120	4	0.6196
							; ksx	38	2.8713
24	808/22-23	22-23	773	l ky y0	prfkz	0.95	61-90	1	0.0429
						0.95	91-120	2	0.1548
						1.25	151UP	1	0.2365
						1.55	61-90	1	0.0409
						1.55	91-120	1	0.0874
						1.85	61-90	1	0.0740
						1.85	121-150	2	0.4617
						1.85	151UP	1	0.6884
						2.45	151UP	5	3.7092
							; ksx	15	5.4958
25	591/21-22	21-22	776	'kh' ke y0	r'rh;	1.55	61-90	1	0.0750
						1.85	91-120	1	0.1227
						2.15	91-120	1	0.1935
							; ksx	3	0.3912
26	167/22-23	22-23	225	'kh' ke y0	prfkz	0.95	31-60	2	0.0225
						0.95	61-90	1	0.0380
						1.25	31-60	18	0.3338
						1.25	61-90	3	0.1090
						1.25	91-120	2	0.1352
						1.55	31-60	20	0.3824
						1.55	61-90	16	0.8606
						1.85	31-60	10	0.2152
						1.85	61-90	2	0.1200
						2.15	31-60	59	1.7943
						2.15	61-90	18	1.2498
						2.15	91-120	5	0.7263
						2.15	121-150	1	0.2983
						2.45	31-60	3	0.1169
						2.45	91-120	4	0.7080
							; ksx	164	7.1103

27	104/22-23	22-23	144	fljl	ch	1.55	31-60	7	0.1716
						1.55	61-90	3	0.1735
						1.55	91-120	1	0.0969
						1.85	31-60	3	0.0812
						1.85	61-90	4	0.3171
						1.85	91-120	1	0.1665
						2.15	61-90	2	0.1153
						2.15	91-120	1	0.1871
						2.15	121-150	1	0.2000
						2.45	31-60	13	0.5058
						2.45	61-90	15	1.2896
						2.45	91-120	10	1.5827
						2.45	121-150	1	0.2791
							;ksx	62	5.1664
28	105/22-23	22-23	146	fljl	ch	1.85	31-60	1	0.0416
						1.85	61-90	1	0.0474
						2.15	31-60	4	0.1690
						2.15	61-90	1	0.0860
						2.15	91-120	2	0.3403
						2.15	121-150	1	0.2100
						2.45	31-60	8	0.3064
						2.45	61-90	18	1.6960
						2.45	91-120	7	1.1916
						2.45	121-150	3	0.7501
							;ksx	46	4.8384
29	251/20-21	20-21	134	;nd0 fy0tM+	e'khu }kjk	7.50X	5.40X	1.60	64.8000
30	252/20-21	20-21	135	;nd0 fy0tM+	e'khu }kjk	6.55X	5.10X	1.75	58.4588
31	253/20-21	20-21	136	;nd0 fy0tM+	e'khu }kjk	5.85X	5.05X	1.45	42.8366
32	120/22-23	21-22	273	;nd0 fy0tM+	e'khu }kjk	7.12X	4.50X	2.41	77.2164
33	121/22-23	21-22	274	;nd0 fy0tM+	e'khu }kjk	6.52X	4.80X	2.12	66.3475
34	174/22-23	22-23	278	;nd0 fy0tM+	e'khu }kjk	6.11X	5.91X	2.41	87.0253
35	414/22-23	22-23	362	;nds fy0tM	e'khu }kjk	8.92X	6.95X	2.00	123.9880
36	415/22-23	22-23	363	;nds fy0tM	e'khu }kjk	6.62X	5.34X	1.70	60.0964
37	417/22-23	22-23	366	;nds fy0tM	e'khu }kjk	6.32X	5.62X	2.24	79.5612
38	429/22-23	22-23	367	;nds fy0tM	e'khu }kjk	5.90X	3.50X	2.40	49.5600
39	430/22-23	22-23	368	;nds fy0tM	e'khu }kjk	6.00X	4.80X	2.15	61.9200

40	431/22-23	22-23	369	; rds fy0tM	e' khu }kj k	8.60X	5.80X	1.98	98.7624
41	432/22-23	22-23	370	; rds fy0tM	e' khu }kj k	8.80X	6.80X	2.12	126.8608
42	737/22-23	22-23	871	; rds fy0tM	e' khu }kj k	5.68X	3.45X	1.68	32.9213
43	738/22-23	22-23	872	; rds fy0tM	e' khu }kj k	8.95X	6.05X	2.20	119.1245
44	739/22-23	22-23	873	; rds fy0tM	e' khu }kj k	6.55X	4.15X	2.20	59.8015
45	740/22-23	22-23	874	; rds fy0tM	e' khu }kj k	8.85X	6.58X	2.20	128.1126
46	741/22-23	22-23	875	; rds fy0tM	e' khu }kj k	6.52X	4.90X	1.85	59.1038
47	742/22-23	22-23	876	; rds fy0tM	e' khu }kj k	3.80X	3.50X	1.40	18.6200
48	743/22-23	22-23	877	; rds fy0tM	e' khu }kj k	7.80X	5.35X	2.20	91.8060
49	744/22-23	22-23	878	; rds fy0tM	e' khu }kj k	4.38X	4.18X	1.85	33.8705
50	702/22-23	22-23	834	dkeydk"BtM	e' khu }kj k	6.50X	5.80X	3.38	127.4260
51	710/22-23	22-23	847	dkeydk"BtM	e' khu }kj k	7.30X	6.50X	2.50	118.6250
52	713/22-23	22-23	851	dkeydk"BtM	e' khu }kj k	6.80X	6.00X	3.10	126.4800
53	715/22-23	22-23	854	dkeydk"BtM	e' khu }kj k	6.80X	6.30X	2.35	100.6740
54	716/22-23	22-23	855	dkeydk"BtM	e' khu }kj k	6.20X	5.80X	1.80	64.7280
55	717/22-23	22-23	858	dkeydk"BtM	Jfed	4.90X	4.80X	1.90	44.6880
56	718/22-23	22-23	860	dkeydk"BtM	Jfed	5.90X	4.40X	2.10	54.5160
57	720/22-23	22-23	862	dkeydk"BtM	Jfed	5.90X	3.90X	2.30	52.9230
58	721/22-23	22-23	863	dkeydk"BtM	Jfed	10.20X	5.85X	2.72	162.3024
59	722/22-23	22-23	864	dkeydk"BtM	Jfed	6.20X	6.10X	1.80	68.0760

k&/& d&rk d&s pkfg; s fd yk&/ d&s Hkyh Hkk&fr n&[k ya d& dz ds ckn i rdk"B dh Js kh ds fo"k; es d&k&f f' k&dk; r e&kl; ugha g&ks&h

(j es' k plnz Fkfy; k)
lyk&/ i Hkk&jh
piuk[kku fMi ks

(t0 I h0 'kekZ)
fMi ks vf/k&dkjh
piuk[kku fMi ks

fodz e&f; , oa tekur /kujkf' k tek dj us gr&q **RTGS** , oa **NEFT** [kk
dj %Tax) /kujkf' k tek dj us gr&q **RTGS** , oa **NEFT** [kkrk I d&&
c&d dk uke&
I FSC CODE-

MDUAFDC 09810200000420
DMMUAFDC 09810200000250
BANK OF BARODA RAMNAGAR
BARBORAMNAI